

MEASURING CLIENT EXPERIENCE OF CARE: A STRATEGIC EVIDENCE RAPID REVIEW

APPENDIX: FULL LIST OF STUDIES BY HEALTH AREA

PRIMARY CARE

1. Baldeón ME, Fornasini M, Flores N, et al. Impact of training primary care physicians in behavioral counseling to reduce cardiovascular disease risk factors in Ecuador. *Rev Panam Salud Pública*. 2018;42:e139-e139.
2. Bell G, Macarayan EK, Ratcliffe H, et al. Assessment of bypass of the nearest primary health care facility among women in Ghana. *JAMA Netw Open*. 2020;3(8):e2012552. doi:10.1001/jamanetworkopen.2020.12552
3. Bresick G, von Pressentin KB, Mash R. Evaluating the performance of South African primary care: a cross-sectional descriptive survey. *S Afr Fam Pract*. 2019;61(3):109-116. doi:10.1080/20786190.2019.1596666
4. Chen A, Feng S, Zhang L, Shi L. Comparison of patients' perceived quality of primary care between urban and rural community health centers in Guangdong, China. *Int J Environ Res Public Health*. 2020;17(13)doi:10.3390/ijerph17134898
5. De Mesa RYH, Galingana CLT, Marfori JRA, et al. Impact of improved primary care on patient satisfaction: Results of a pilot study in the University of the Philippines. *Int J Health Plann Manage*. 2019;34(4):e1651-e1660. doi:10.1002/hpm.2862
6. Doubova SV, Guanais FC, Pérez-Cuevas R, Canning D, Macinko J, Reich MR. Attributes of patient-centered primary care associated with the public perception of good healthcare quality in Brazil, Colombia, Mexico and El Salvador. *Health Policy Plan*. 2016;31(7):834-43. doi:10.1093/heapol/czv139
7. Dullie L, Meland E, Hetlevik Ø, Mildestvedt T, Gjesdal S. Development and validation of a Malawian version of the primary care assessment tool. *BMC Fam Pract*. 2018;19(1):63. doi:10.1186/s12875-018-0763-0
8. Dullie L, Meland E, Hetlevik Ø, et al. Performance of primary care in different healthcare facilities: a cross-sectional study of patients' experiences in Southern Malawi. *BMJ Open*. 2019;9(7):e029579. doi:10.1136/bmjopen-2019-029579
9. Dullie L, Meland E, Mildestvedt T, Hetlevik Ø, Gjesdal S. Quality of primary care from patients' perspective: a cross sectional study of outpatients' experience in public health facilities in rural Malawi. *BMC Health Serv Res*. 2018;18(1):872. doi:10.1186/s12913-018-3701-x
10. Greene J, Guanais F. An examination of socioeconomic equity in health experiences in six Latin American and Caribbean countries. *Rev Panam Salud Pública*. 2018;42:e127-e127.

11. Guanais F, Doubova SV, Leslie HH, Perez-Cuevas R, García-Elorrio E, Kruk ME. Patient-centered primary care and self-rated health in 6 Latin American and Caribbean countries: analysis of a public opinion cross-sectional survey. *PLoS Med.* 2018;15(10):e1002673. doi:10.1371/journal.pmed.1002673
12. Heller M, Thomas AM, Peters SM, Düsterwald KM, Klausner JD. An evaluation of patient and student experience at a longstanding student-run free clinic in Cape Town, South Africa. *Cureus.* 2019;11(12):e6320. doi:10.7759/cureus.6320
13. Hoa NT, Tam NM, Derese A, Markuns JF, Peersman W. Patient experiences of primary care quality amongst different types of health care facilities in central Vietnam. *BMC Health Serv Res.* 2019;19(1):275. doi:10.1186/s12913-019-4089-y
14. Holt K, Doubova SV, Lee D, Perez-Cuevas R, Leslie HH. Factors associated with positive user experience with primary healthcare providers in Mexico: a multilevel modelling approach using national cross-sectional data. *BMJ Open.* 2020;10(1):e029818. doi:10.1136/bmjopen-2019-029818
15. Kuang L, Liang Y, Mei J, et al. Family practice and the quality of primary care: a study of Chinese patients in Guangdong Province. *Fam Pract.* 2015;32(5):557-563. doi:10.1093/fampra/cmz064
16. Larson E, Mbaruku G, Kujawski SA, Mashasi I, Kruk ME. Disrespectful treatment in primary care in rural Tanzania: beyond any single health issue. *Health Policy Plan.* 2019;34(7):508-513. doi:10.1093/heapol/czz071
17. Lee YL, Lim YMF, Law KB, Sivasampu S. Intra-cluster correlation coefficients in primary care patients with type 2 diabetes and hypertension. *Trials.* 2020;21(1):530. doi:10.1186/s13063-020-04349-4
18. Li J, Wang P, Kong X, Liang H, Zhang X, Shi L. Patient satisfaction between primary care providers and hospitals: a cross-sectional survey in Jilin province, China. *Int J Qual Health Care.* 2016;28(3):346-354. doi:10.1093/intqhc/mzw038
19. Lim MT, Lim YMF, Teh XR, Lee YL, Ismail SA, Sivasampu S. Patient experience on self-management support among primary care patients with diabetes and hypertension. *Int J Qual Health Care.* 2019;31(7):37-43. doi:10.1093/intqhc/mzy252
20. Lim MT, Lim YMF, Tong SF, Sivasampu S. Age, sex and primary care setting differences in patients' perception of community healthcare seeking behaviour towards health services. *PLoS One.* 2019;14(10):e0224260. doi:10.1371/journal.pone.0224260
21. Liu C, Wu Y, Chi X. Relationship preferences and experience of primary care patients in continuity of care: a case study in Beijing, China. *BMC Health Serv Res.* 2017;17(1):585. doi:10.1186/s12913-017-2536-1
22. Macarayan EK, Gage AD, Doubova SV, et al. Assessment of quality of primary care with facility surveys: a descriptive analysis in ten low-income and middle-income countries. *Lancet Glob Health.* 2018;6(11):e1176-e1185. doi:10.1016/S2214-109X(18)30440-6

23. Maly C, Okyere Boadu R, Rosado C, Lailari A, Vikpeh-Lartey B, Allen C. Can a standards-based approach improve access to and quality of primary health care? Findings from an end-of-project evaluation in Ghana. *PLoS One*. 2019;14(5):e0216589. doi:10.1371/journal.pone.0216589
24. Mash RJ, Govender S, Isaacs AA, De Sa A, Schlemmer A. An assessment of organisational values, culture and performance in Cape Town's primary healthcare services. *S Afr Fam Pract*. 2013;55(5):459-466. doi:10.1080/20786204.2013.10874396
25. Masiye F, Chitah BM, McIntyre D. From targeted exemptions to user fee abolition in health care: experience from rural Zambia. *Soc Sci Med*. 2010;71(4):743-750. doi:10.1016/j.socscimed.2010.04.029
26. Mukiapini S, Bresick G, Sayed A-R, Le Grange C. Baseline measures of primary health care team functioning and overall primary health care performance at Du Noon Community Health Centre. *Afr J Prim Health Care Fam Med*. 2018;10(1):e1-e11. doi:10.4102/phcfm.v10i1.1458
27. Ratcliffe HL, Bell G, Awoonor-Williams K, et al. Towards patient-centred care in Ghana: health system responsiveness, self-rated health and experiential quality in a nationally representative survey. *BMJ Open Qual*. 2020;9(2)doi:10.1136/bmj-oq-2019-000886
28. Roder-DeWan S, Gage A, Hirschhorn LR, et al. Level of confidence in and endorsement of the health system among internet users in 12 low-income and middle-income countries. *BMJ Global Health*. 2020;5(8)doi:10.1136/bmjgh-2019-002205
29. Shi J, Jin H, Shi L, et al. The quality of primary care in community health centers: comparison among urban, suburban and rural users in Shanghai, China. *BMC Fam Pract*. 2020;21(1):178. doi:10.1186/s12875-020-01250-6
30. Wang HHX, Wong SYS, Wong MCS, et al. Attributes of primary care in community health centres in China and implications for equitable care: a cross-sectional measurement of patients' experiences. *QJM*. 2015;108(7):549-560. doi:10.1093/qjmed/hcu248
31. Wang W, Haggerty J. Development of primary care assessment tool-adult version in Tibet: implication for low- and middle-income countries. *Prim Health Care Res Dev*. 2019;20:e94. doi:10.1017/S1463423619000239
32. Wang W, Maitland E, Nicholas S, Loban E, Haggerty J. Comparison of patient perceived primary care quality in public clinics, public hospitals and private clinics in rural China. *Int J Equity Health*. 2017;16(1):176. doi:10.1186/s12939-017-0672-1
33. Waweru E, Smekens T, Orne-Gliemann J, Ssengooba F, Broerse J, Criel B. Patient perspectives on interpersonal aspects of healthcare and patient-centeredness at primary health facilities: A mixed methods study in rural Eastern Uganda. *PLoS One*. 2020;15(7):e0236524. doi:10.1371/journal.pone.0236524
34. Webster TR, Mantopoulos J, Jackson E, et al. A brief questionnaire for assessing patient healthcare experiences in low-income settings. *Int J Qual Health Care*. 2011;23(3):258-68. doi:10.1093/intqhc/mzr019

35. Zhang L, Li J, Ma T, Zhang R, Zhang Q. Usual source of care and experiences with primary care among community health service centre patients in Changchun, China: a cross-sectional survey. *Health Soc Care Community*. 2020;28(6):1979-1988. doi:10.1111/hsc.13009

HIV

1. Abboah-Offei M, Bristowe K, Vanderpuye-Donton NA, et al. Phase II mixed methods' feasibility cluster randomised controlled trial of a novel community-based enhanced care intervention to improve person-centred outcomes for people living with HIV in Ghana. *AIDS Care*. 2020;32(sup2):107-118. doi:10.1080/09540121.2020.1739217
2. Buluba SE, Mawi NE, Tarimo EAM. Clients' satisfaction with HIV care and treatment centres in Dar es Salaam, Tanzania: A cross-sectional study. *PLoS One*. 2021;16(2):e0247421. doi:10.1371/journal.pone.0247421
3. Fischer AE, Phatsoane M, Majam M, et al. Uptake of the Ithaka mobile application in Johannesburg, South Africa, for human immunodeficiency virus self-testing result reporting. *South Afr J HIV Med*. 2021;22(1):1197. doi:10.4102/sajhivmed.v22i1.1197
4. Hopkins KL, Hlongwane KE, Otwombe K, et al. Level of adult client satisfaction with clinic flow time and services of an integrated non-communicable disease-HIV testing services clinic in Soweto, South Africa: a cross-sectional study. *BMC Health Serv Res*. 2020;20(1):404. doi:10.1186/s12913-020-05256-9
5. Humphreys CP, Wright J, Walley J, et al. Nurse led, primary care based antiretroviral treatment versus hospital care: a controlled prospective study in Swaziland. *BMC Health Serv Res*. 2010;10:229. doi:10.1186/1472-6963-10-229
6. Laterra A, Callahan T, Msiska T, et al. Bringing women's voices to PMTCT CARE: adapting CARE's Community Score Card to engage women living with HIV to build quality health systems in Malawi. *BMC Health Serv Res*. 2020;20(1):679. doi:10.1186/s12913-020-05538-2
7. Ogbuaji O, Geldsetzer P, Wong C, et al. Impact of immediate initiation of antiretroviral therapy on HIV patient satisfaction. *AIDS*. 2020;34(2):267-276. doi:10.1097/QAD.0000000000002392
8. Poles G, Li M, Siril H, et al. Factors associated with different patterns of nonadherence to HIV care in Dar es Salaam, Tanzania. *J Int Assoc Provid AIDS Care*. 2014;13(1):78-84. doi:10.1177/1545109712467068
9. Scott NA, Maskew M, Fong RM, et al. Patient perspectives of quality of the same-day antiretroviral therapy initiation process in Gauteng Province, South Africa: qualitative dominant mixed-methods analysis of the SLATE II trial. *Patient*. 2021;14(2):175-186. doi:10.1007/s40271-020-00437-4
10. Yakob B, Ncama BP. Perceived quality of HIV treatment and care services in Wolaita Zone of southern Ethiopia: a cross-sectional study. *BMJ Open*. 2015;5(12):e010026. doi:10.1136/bmjopen-2015-010026

SEXUAL AND REPRODUCTIVE HEALTH

1. Afulani PA, Diamond-Smith N, Phillips B, Singhal S, Sudhinaraset M. Validation of the person-centered maternity care scale in India. *Reprod Health*. 2018;15(1):147. doi:10.1186/s12978-018-0591-7
2. Afulani PA, Buback L, Essandoh F, Kinyua J, Kirumbi L, Cohen CR. Quality of antenatal care and associated factors in a rural county in Kenya: an assessment of service provision and experience dimensions. *BMC Health Serv Res*. 2019;19(1):684. doi:10.1186/s12913-019-4476-4
3. Afulani PA, Diamond-Smith N, Golub G, Sudhinaraset M. Development of a tool to measure person-centered maternity care in developing settings: validation in a rural and urban Kenyan population. *Reprod Health*. 2017;14(1):118. doi:10.1186/s12978-017-0381-7
4. Afulani PA, Feeser K, Sudhinaraset M, Aborigo R, Montagu D, Chakraborty N. Toward the development of a short multi-country person-centered maternity care scale. *Int J Gynaecol Obstet*. 2019;146(1):80-87. doi:10.1002/ijgo.12827
5. Afulani PA, Phillips B, Aborigo RA, Moyer CA. Person-centred maternity care in low-income and middle-income countries: analysis of data from Kenya, Ghana, and India. *Lancet Glob Health*. 2019;7(1):e96-e109. doi:10.1016/S2214-109X(18)30403-0
6. Afulani PA, Sayi TS, Montagu D. Predictors of person-centered maternity care: the role of socioeconomic status, empowerment, and facility type. *BMC Health Serv Res*. 2018;18(1):360. doi:10.1186/s12913-018-3183-x
7. Amsalu R, Morris CN, Chukwumalu K, et al. Essential newborn care practice at four primary health facilities in conflict affected areas of Bossaso, Somalia: a cross-sectional study. *Confl Health*. 2019;13:27. doi:10.1186/s13031-019-0202-4
8. Arsenault C, Kim MK, Aryal A, et al. Hospital-provision of essential primary care in 56 countries: determinants and quality. *Bull World Health Organ*. 2020;98(11):735-746D. doi:10.2471/BLT.19.245563
9. Asresu TT, Hailu D, Girmay B, Abrha MW, Weldearegay HG. Mothers' utilization and associated factors in preconception care in northern Ethiopia: a community based cross sectional study. *BMC Pregnancy Childbirth*. 2019;19(1):347. doi:10.1186/s12884-019-2478-1
10. Beksinska M, Smit J, Greener R, Piaggio G, Joanis C. The female condom learning curve: patterns of female condom failure over 20 uses. *Contraception*. 2015;91(1):85-90. doi:10.1016/j.contraception.2014.09.011
11. Beksinska M, Smit J, Joanis C, Hart C. Practice makes perfect: reduction in female condom failures and user problems with short-term experience in a randomized trial. *Contraception*. 2012;86(2):127-131. doi:10.1016/j.contraception.2011.11.071
12. Bhattacharyya S, Srivastava A, Roy R, Avan BI. Factors influencing women's preference for health facility deliveries in Jharkhand state, India: a cross sectional analysis. *BMC Pregnancy Childbirth*. 2016;16:50. doi:10.1186/s12884-016-0839-6

13. Billah SM, Chowdhury MAK, Khan ANS, et al. Quality of care during childbirth at public health facilities in Bangladesh: a cross-sectional study using WHO/UNICEF 'Every Mother Every Newborn (EMEN)' standards. *BMJ Open Qual.* 2019;8(3):e000596. doi:10.1136/bmj-oq-2018-000596
14. Binyaruka P, Patouillard E, Powell-Jackson T, Greco G, Maestad O, Borghi J. Effect of paying for performance on utilisation, quality, and user costs of health services in Tanzania: a controlled before and after study. *PLoS One.* 2015;10(8):e0135013. doi:10.1371/journal.pone.0135013
15. Birdsey G, Crankshaw TL, Mould S, Ramklass SS. Unmet counselling need amongst women accessing an induced abortion service in KwaZulu-Natal, South Africa. *Contraception.* 2016;94(5):473-477. doi:10.1016/j.contraception.2016.07.002
16. Bishanga DR, Massenga J, Mwanamsangu AH, et al. Women's experience of facility-based childbirth care and receipt of an early postnatal check for herself and her newborn in northwestern Tanzania. *Int J Environ Res Public Health.* 2019;16(3)doi:10.3390/ijerph16030481
17. Bohren MA, Mehrtash H, Fawole B, et al. How women are treated during facility-based childbirth in four countries: a cross-sectional study with labour observations and community-based surveys. *Lancet.* 2019;394(10210):1750-1763. doi:10.1016/S0140-6736(19)31992-0
18. Bohren MA, Vogel JP, Fawole B, et al. Methodological development of tools to measure how women are treated during facility-based childbirth in four countries: labor observation and community survey. *BMC Med Res Methodol.* 2018;18(1):132. doi:10.1186/s12874-018-0603-x
19. Böttcher B, Abu-El-Noor M, Abu-El-Noor N. Choices and services related to contraception in the Gaza strip, Palestine: perceptions of service users and providers. *BMC Womens Health.* 2019;19(1):165. doi:10.1186/s12905-019-0869-0
20. Crawford J, Larsen-Cooper E, Jezman Z, Cunningham SC, Bancroft E. SMS versus voice messaging to deliver MNCH communication in rural Malawi: assessment of delivery success and user experience. *Glob Health Sci Pract.* 2014;2(1):35-46. doi:10.9745/GHSP-D-13-00155
21. Dadhwal V, Sharma AK, Singh A, Deka D, Mittal S, Kumar G. Clinical correlates of pain and anxiety in prenatal diagnostic procedures. *Fetal Diagn Ther.* 2012;32(3):190-193. doi:10.1159/000337368
22. Das S, Bapat U, More NS, Chordhekar L, Joshi W, Osrin D. Prospective study of determinants and costs of home births in Mumbai slums. *BMC Pregnancy Childbirth.* 2010;10:38. doi:10.1186/1471-2393-10-38
23. Erchafo B, Alaro T, Tsega G, et al. Are we too far from being client centered? *PLoS one.* 2018;13(10):e0205681. doi:10.1371/journal.pone.0205681
24. Gerds C, Jayaweera RT, Baum SE, Hudaya I. Second-trimester medication abortion outside the clinic setting: an analysis of electronic client records from a safe abortion hotline in Indonesia. *BMJ Sex Reprod Health.* 2018;44(4):286-291. doi:10.1136/bmj-srh-2018-200102
25. Gurung R, Ruysen H, Sunny AK, et al. Respectful maternal and newborn care: measurement in one EN-BIRTH study hospital in Nepal. *BMC Pregnancy Childbirth.* 2021;21(Suppl 1):228. doi:10.1186/s12884-020-03516-4

26. Haile LT, Fultz HM, Simmons RG, Shelus V. Market-testing a smartphone application for family planning: assessing potential of the CycleBeads app in seven countries through digital monitoring. *Mhealth*. 2018;4:27. doi:10.21037/mhealth.2018.06.07
27. Hijazi HH, Alyahya MS, Sindiani AM, Saqan RS, Okour AM. Determinants of antenatal care attendance among women residing in highly disadvantaged communities in northern Jordan: a cross-sectional study. *Reprod Health*. 2018;15(1):106. doi:10.1186/s12978-018-0542-3
28. Holt K, Zavala I, Quintero X, Hessler D, Langer A. Development and validation of the client-reported quality of contraceptive counseling scale to measure quality and fulfillment of rights in family planning programs. *Stud Fam Plann*. 2019;50(2):137-158. doi:10.1111/sifp.12092
29. Hulton LA, Matthews Z, Stones RW. Applying a framework for assessing the quality of maternal health services in urban India. *Soc Sci Med*. 2007;64(10):2083-2095. doi:10.1016/j.socscimed.2007.01.019
30. Jain A, Aruldas K, Mozumdar A, Tobey E, Acharya R. Validation of two quality of care measures: results from a longitudinal study of reversible contraceptive users in India. *Stud Fam Plann*. 2019:sifp.12093. doi:10.1111/sifp.12093
31. Jayachandran V, Chapotera G, Stones W. Quality of facility-based family planning services for adolescents in Malawi: findings from a national census of health facilities. *Malawi Med J*. 2016;28(2):48-52. doi:10.4314/mmj.v28i2.4
32. Johns NE, Dixit A, Ghule M, et al. Validation of the Interpersonal Quality of Family Planning Scale in a rural Indian setting. *Contracept X*. 2020;2:100035. doi:10.1016/j.conx.2020.100035
33. Koladycz R, Fernandez G, Gray K, Marriott H. The Net Promoter Score (NPS) for insight into client experiences in sexual and reproductive health clinics. *Glob Health Sci Pract*. 2018;6(3):413-424. doi:10.9745/GHSP-D-18-00068
34. Leite TH, Carvalho TDG, Marques ES, et al. The association between mistreatment of women during childbirth and postnatal maternal and child health care: findings from "Birth in Brazil". *Women Birth*. 2021;doi:10.1016/j.wombi.2021.02.006
35. Liu J, Shen J, Diamond-Smith N. Predictors of DMPA-SC continuation among urban Nigerian women: the influence of counseling quality and side effects. *Contraception*. 2018;98(5):430-437. doi:10.1016/j.contraception.2018.04.015
36. Mageda K, Mmbaga EJ. Prevalence and predictors of institutional delivery among pregnant mothers in Biharamulo district, Tanzania: a cross-sectional study. *Pan Afr Med J*. 2015;21:51. doi:10.11604/pamj.2015.21.51.6347
37. Martey JO, Turkson SO, Djan JO, Dunson TR, Amatya R, Krueger S. Clinical evaluation of Norplant in Kumasi, Ghana. *East Afr Med J*. 1995;72(6):381-385.
38. Maulet N, Keita M, Macq J. Medico-social pathways of obstetric fistula patients in Mali and Niger: an 18-month cohort follow-up. *Trop Med Int Health*. 2013;18(5):524-533. doi:10.1111/tmi.12086

39. Molina RL, Villar J, Reyes A, et al. Delivery practices and care experience during implementation of an adapted safe childbirth checklist and respectful care program in Chiapas, Mexico. *Int J Gynaecol Obstet.* 2019;145(1):101-109. doi:10.1002/ijgo.12771
40. Montagu D, Landrian A, Kumar V, et al. Patient-experience during delivery in public health facilities in Uttar Pradesh, India. *Health Policy Plan.* 2019;34(8):574-581. doi:10.1093/heapol/czz067
41. Nsibandwe DF, Goga A, Laubscher R, et al. Uptake of antenatal care in high HIV-prevalence settings: Results from three population-based surveys in South Africa. *S Afr Med J.* 2020;110(7):671-677. doi:10.7196/SAMJ.2020.v110i7.14325
42. Perkins J, Rahman AE, Mhajabin S, et al. Humanised childbirth: the status of emotional support of women in rural Bangladesh. *Sex Reprod Health Matters.* 2019;27(1):1610277. doi:10.1080/126410397.2019.1610277
43. Schindler P, Burgos R, Vuong K, et al. The process of intrapartum care among skilled birth attendants in the Dominican Republic and maternal perceptions of care during labor and birth: a case report. *J Midwifery Womens Health.* 2017;62(5):599-606. doi:10.1111/jmwh.12633
44. Sharique AA, Sharique M, Younus M, Mahesh A. In suburban area of Karachi City: assessment of awareness and attitudes towards antenatal care (ANC). *Annals Abbasi Shaheed Hospital & Karachi Medical & Dental College.* 2015;20(2):109-115.
45. Sheferaw ED, Mengesha TZ, Wase SB. Development of a tool to measure women's perception of respectful maternity care in public health facilities. *BMC Pregnancy Childbirth.* 2016;16(1):67. doi:10.1186/s12884-016-0848-5
46. Steenland M, Dula J, de Albuquerque A, et al. Effects of appointment scheduling on waiting time and utilisation of antenatal care in Mozambique. *BMJ Global Health.* 2019;4(6):e001788. doi:10.1136/bmjgh-2019-001788
47. Sudhinaraset M, Afulani PA, Diamond-Smith N, Golub G, Srivastava A. Development of a person-centered family planning scale in India and Kenya *Stud Fam Plann.* 2018;49(3):237-258. doi:10.1111/sifp.12069
48. Sudhinaraset M, Landrian A, Afulani PA, Phillips B, Diamond-Smith N, Cotter S. Development and validation of a person-centered abortion scale: the experiences of care in private facilities in Kenya. *BMC Womens Health.* 2020;20(1):208. doi:10.1186/s12905-020-01071-w
49. Thapa P, Bangura AH, Nirola I, et al. The power of peers: an effectiveness evaluation of a cluster-controlled trial of group antenatal care in rural Nepal. *Reprod Health.* 2019;16(1):150. doi:10.1186/s12978-019-0820-8
50. Tougher S, Dutt V, Pereira S, et al. Effect of a multifaceted social franchising model on quality and coverage of maternal, newborn, and reproductive health-care services in Uttar Pradesh, India: a quasi-experimental study. *Lancet Glob Health.* 2018;6(2):e211-e221. doi:10.1016/S2214-109X(17)30454-0

51. Umar N, Wickremasinghe D, Hill Z, Usman UA, Marchant T. Understanding mistreatment during institutional delivery in Northeast Nigeria: a mixed-method study. *Reprod Health*. 2019;16(1):174. doi:10.1186/s12978-019-0837-z
52. Wu J, Huang Z, Coffey PS, Kilbourne-Brook M. Short-term acceptability of the woman's condom among married couples in Shanghai. *J Sex Transm Dis*. 2016;2016:6201421. doi:10.1155/2016/6201421